



Atty. Dkt. No. 061887-0119  
1fw

**IN THE UNITED STATES PATENT AND TRADEMARK OFFICE**

Applicant: Geun-Young YEOM et al.

Title: 3-GRID NEUTRAL BEAM SOURCE USED FOR ETCHING SEMICONDUCTOR DEVICE

Appl. No.: 10/814,148

Filing Date: 04/01/2004

Examiner: J. Berman

Art Unit: 2881

**AMENDMENT TRANSMITTAL**

Mail Stop Amendment  
Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

Sir:

Transmitted herewith is an amendment in the above-identified application.

Small Entity status under 37 C.F.R. § 1.9 and § 1.27 has been established by a previous assertion of Small Entity status.

Assertion of Small Entity status is enclosed.

The fee required for additional claims is calculated below:

	Claims As Amended	Previously Paid For	=	Extra Claims Present	x	Rate	=	Additional Claims Fee
Total Claims:	10	-	20	=	0	\$18.00	=	\$0.00
Independent Claims:	7	-	3	=	0	x	\$88.00	= \$0.00
First presentation of any Multiple Dependent Claims:			+	\$300.00			=	\$0.00
				CLAIMS FEE TOTAL			=	\$0.00

Applicant hereby petitions for an extension of time under 37 C.F.R. §1.136(a) for the total number of months checked below:

[ <input type="checkbox"/> ]	Extension for response filed within the first month:	\$110.00	\$0.00
[ <input type="checkbox"/> ]	Extension for response filed within the second month:	\$430.00	\$0.00
[ <input type="checkbox"/> ]	Extension for response filed within the third month:	\$980.00	\$0.00
[ <input type="checkbox"/> ]	Extension for response filed within the fourth month:	\$1,530.00	\$0.00
[ <input type="checkbox"/> ]	Extension for response filed within the fifth month:	\$2,080.00	\$0.00
		EXTENSION FEE TOTAL:	\$0.00
[ <input type="checkbox"/> ]	Statutory Disclaimer Fee under 37 C.F.R. 1.20(d):	\$110.00	\$0.00
		CLAIMS, EXTENSION AND DISCLAIMER FEE TOTAL:	\$0.00
[ <input checked="" type="checkbox"/> ]		Small Entity Fees Apply (subtract 1/2 of above):	\$0.00
			TOTAL FEE:
			\$0.00

- [  ] Please charge Deposit Account No. 19-0741 in the amount of \$0.00. A duplicate copy of this transmittal is enclosed.
- [  ] A check in the amount of \$0.00 is enclosed.
- [  ] The Commissioner is hereby authorized to charge any additional fees which may be required regarding this application under 37 C.F.R. §§ 1.16-1.17, or credit any overpayment, to Deposit Account No. 19-0741. Should no proper payment be enclosed herewith, as by a check being in the wrong amount, unsigned, post-dated, otherwise improper or informal or even entirely missing, the Commissioner is authorized to charge the unpaid amount to Deposit Account No. 19-0741. If any extensions of time are needed for timely acceptance of papers submitted herewith, applicant hereby petitions for such extension under 37 C.F.R. §1.136 and authorizes payment of any such extensions fees to Deposit Account No. 19-0741.

Please direct all correspondence to the undersigned attorney or agent at the address indicated below.

Respectfully submitted,

Date November 17, 2004

By Attorneys, Foley & Lardner

FOLEY & LARDNER LLP  
Customer Number: 22428  
Telephone: (202) 672-5485  
Facsimile: (202) 672-5399

William T. Ellis  
Attorney for Applicant  
Registration No. 26,874

Thomas G. Bilodeau  
Attorney for Applicant  
Registration No. 43,438



Atty. Dkt. No. 061887-0119

**IN THE UNITED STATES PATENT AND TRADEMARK OFFICE**

Applicant: Geun-Young YEOM et al.

Title: 3-GRID NEUTRAL BEAM SOURCE USED FOR ETCHING SEMICONDUCTOR DEVICE

Appl. No.: 10/814,148

Filing Date: 04/01/2004

Examiner: J. Berman

Art Unit: 2881

**AMENDMENT AND REPLY UNDER 37 CFR 1.111**

Mail Stop Amendment  
Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

Sir:

This communication is responsive to the Non-Final Office Action dated August 19, 2004, concerning the above-referenced patent application.

**Amendments to the Claims** are reflected in the listing of claims which begins on page 2 of this document.

**Amendments to the Drawings** begin on page 5 of this document, and include an attached replacement drawing sheet and an annotated sheet showing changes.

**Remarks/Arguments** begin on page 6 of this document.

Please amend the application as follows: